

# Two Compartment Tanks

	1200 2C 800 / 400	1200 2C 400 / 800	1750 2C 1,000 / 750	2200 2C 1,200 / 1,000	3000 LP 2C 2,000 / 1,000	5000 LP 2C 3,350 / 1,650
<b>Lead Time</b>	Stock	2 – 3 Weeks	Stock 1	Stock 1	2 – 3 Weeks	2 – 3 Weeks
<b>Inlet Invert</b>	53"	53"	56.5"	68.5"	46"	68"
<b>Outlet Invert</b>	51"	51"	52.5"	64.5"	44"	66"
<b>Length</b>	102.50"	102.50"	115"	115"	230"	230"
<b>Width</b>	78.50"	78.50"	91"	91"	98"	98"
<b>Height</b>	64.5"	64.5"	68"	80"	58"	80"
<b>Liquid Level</b>	47" / 47"	47" / 47"	50.50" / 48.50"	62.50" / 60.50"	39" / 39"	61" / 61"
<b>GPI</b>	18 / 8.51	8.51 / 18	20.36 / 16.65	20.36 / 16.65	57.31 / 27.82	57.31 / 27.82
<b>Outlet Volumes</b>	845 / 400	400 / 845	1,027 / 807	1,272 / 1,007	2,235 / 1,085	3,496 / 1,697
<b>Depth of Cover</b>	48" - SC 96" - EHC	48" - SC 96" - EHC	96"	96"	96"	96"

**Lead Time** for standard product is defined as:

**Stock:** Is available for delivery on a daily basis for quantities of 2 or less. For any orders of 3 or more, please place order 2 – 3 business days in advance of required delivery date.

**Stock-1:** Is available for delivery on a daily basis for a quantity of one. For any orders of 2 or more, please place order 2 – 3 business days in advance of required delivery date.

**Numerical:** Expressed in weeks prior to required delivery date.

**Multiple Tank Orders:** The tank with the longest lead time applies to the entire order.

**Liquid Level** is measured from floor to outlet flow of each compartment.

**GPI** expresses Gallons Per Inch for each compartment.

**Volumes** are expressed in Gallons.

**Inlet Invert** is measured from bottom of tank to bottom of PVC Pipe.

**Outlet Invert** is measured from bottom of tank to bottom of PVC Pipe.

**Height** is measured from bottom of tank to top of cover.

**Depth of Cover** is maximum amount of cover over top of tank. Depths greater than 48" for the 1200 capacity tank requires Extra Heavy Cover to obtain cover depth up to 96".

**All Deliveries are on a First Come – First Serve Basis.**